

XE

JAGUAR

XE - TECHNICAL SPECIFICATION

POWERTRAIN	DIESEL
	D200 MHEV
	Automatic
	Rear Wheel Drive (RWD)
	204 / 3.750-4.000
	430 / 1.750-2.500
	1.998
	4 / 4
	Inline
	83 / 92,3
	16,5+ / -0,5
PERFORMANCE	
Acceleration (secs) 0-100 km/h (0-60 mph)	7,4 (7,0)
Maximum speed km/h (mph)	235 (146)
BRAKES	
Front type	Single Piston Sliding Caliper, Vented Disc
Front diameter (mm)	325
Rear type	Single Piston Sliding Caliper, Solid Disc
Rear diameter (mm)	325
Park Brake	iEPB, motor on caliper

Some features on images may vary between optional and standard for different model years and due to the impact of Covid-19, many of our images have not been updated to reflect 24MY specifications. Please refer to the car configurator and additionally consult your local Retailer for detailed 24MY specifications and do not base an order on website imagery alone. Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice.

XE - TECHNICAL SPECIFICATION

	DIESEL
WEIGHTS (kg)*	D200 MHEV
Unladen weight (EU)**	1.722
Unladen weight (DIN)†	1.647
Gross Vehicle Weight (GVW)	2.240
TOWING (kg)	
Unbraked trailer	750
Maximum towing	1.800
Maximum coupling point (nose weight)	75
Maximum vehicle and trailer combination	4.040
ROOF CARRYING (kg)	
Maximum roof load (including cross bars)	75

*Weights reflect vehicles to standard specifications. Optional extras increase weight. **Includes a 75kg driver, full fluids and 90% fuel. †Includes full fluids and 90% fuel.

XE - TECHNICAL SPECIFICATION

			DIESEL
FUEL ECONOMY			D200 MHEV
Fuel tank capacity - useable litres			58
Diesel Exhaust Fluid (DEF) - useable litres			16
Diesel Particulate Filter (DPF)			■
WLTP*			
WLTP Consumption	Low	l/100km (mpg)	6,3-6,7 (44,8-42,2)
	Medium	l/100km (mpg)	5,0-5,5 (56,5-51,4)
	High	l/100km (mpg)	4,1-4,6 (68,9-61,4)
	Extra High	l/100km (mpg)	4,8-5,4 (58,9-52,3)
	Combined	l/100km (mpg)	4,9-5,4 (57,6-52,3)
WLTP CO ₂ Emissions	Low	(g/km)	166-175
	Medium	(g/km)	132-145
	High	(g/km)	108-121
	Extra High	(g/km)	127-141
	Combined	(g/km)	127-140

■ Standard.

*The figures provided are as a result of official manufacturer’s tests in accordance with EU legislation. For comparison purposes only. Real-world figures may differ. CO₂ and fuel economy figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted.

XE - TECHNICAL SPECIFICATION

		DIESEL
POWERTRAIN		D200
Transmission		Automatic
Driveline		Rear Wheel Drive (RWD)
Maximum power (PS / rpm)		199 / 3.750-4.000
Maximum torque (Nm / rpm)		430 / 1.750-2.500
Capacity (cc)		1.998
No. of cylinders / Valves per cylinder		4 / 4
Cylinder layout		Inline
Bore / stroke (mm)		83 / 92,3
Compression ratio (:1)		16,5+ / -0,5
PERFORMANCE		
Acceleration (secs) 0-100 km/h (0-60 mph)		7,4 (7,0)
Maximum speed km/h (mph)		235 (146)
BRAKES		
Front type		Single Piston Sliding Caliper, Vented Disc
Front diameter (mm)		325
Rear type		Single Piston Sliding Caliper, Solid Disc
Rear diameter (mm)		325
Park Brake		iEPB, motor on caliper

XE - TECHNICAL SPECIFICATION

	DIESEL
WEIGHTS (kg)*	D200
Unladen weight (EU)**	1.668
Unladen weight (DIN)†	1.593
Gross Vehicle Weight (GVW)	2.240
TOWING (kg)	
Unbraked trailer	750
Maximum towing	1.800
Maximum coupling point (nose weight)	75
Maximum vehicle and trailer combination	4.040
ROOF CARRYING (kg)	
Maximum roof load (including cross bars)	75

*Weights reflect vehicles to standard specifications. Optional extras increase weight. **Includes a 75kg driver, full fluids and 90% fuel. †Includes full fluids and 90% fuel.

XE - TECHNICAL SPECIFICATION

			DIESEL
FUEL ECONOMY			D200
Fuel tank capacity - useable litres			58
Diesel Exhaust Fluid (DEF) - useable litres			16
Diesel Particulate Filter (DPF)			■
FUEL ECONOMY*			
Driveline			RWD
Consumption	Combined	l/100km	5,2
CO ₂ Emissions	Combined	(g/km)	138

■ Standard.

*The figures provided are NEDC calculated from official manufacturer's tests. Figures may vary according to environment and driving style. For comparison purposes only. Real-world figures may differ.

XE - TECHNICAL SPECIFICATION

POWERTRAIN	PETROL	
	P250	P300
Transmission	Automatic	Automatic
Driveline	Rear Wheel Drive (RWD)	All Wheel Drive (AWD)
Maximum power (PS / rpm)	250 / 5.500	300 / 5.500
Maximum torque (Nm / rpm)	365 / 1.300-4.500	400 / 1.500-4.500
Capacity (cc)	1.998	1.998
No. of cylinders / Valves per cylinder	4 / 4	4 / 4
Cylinder layout	Inline	Inline
Bore / stroke (mm)	83 / 92,3	83 / 92,3
Compression ratio (:1)	10,5+ / -0,5	9,5+ / -0,5
PERFORMANCE		
Acceleration (secs) 0-100 km/h (0-60 mph)	6,7 (6,4)	5,9 (5,6)
Maximum speed km/h (mph)	242 (150)	250 (155)
BRAKES		
Front type	Single Piston Sliding Caliper, Vented Disc	Single Piston Sliding Caliper, Vented Disc
Front diameter (mm)	17" Wheel - 325mm 18" Wheel - 350mm	350
Rear type	Single Piston Sliding Caliper, Solid Disc	Single Piston Sliding Caliper, Solid Disc
Rear diameter (mm)	325	325
Park Brake	iEPB, motor on caliper	iEPB, motor on caliper

XE - TECHNICAL SPECIFICATION

	PETROL	
WEIGHTS (kg)*	P250	P300
Unladen weight (EU)**	1.672	1.726
Unladen weight (DIN)†	1.597	1.651
Gross Vehicle Weight (GVW)	2.200	2.240
TOWING (kg)		
Unbraked trailer	750	750
Maximum towing	1.800	1.800
Maximum coupling point (nose weight)	75	75
Maximum vehicle and trailer combination	4.000	4.040
ROOF CARRYING (kg)		
Maximum roof load (including cross bars)	75	75

*Weights reflect vehicles to standard specifications. Optional extras increase weight. **Includes a 75kg driver, full fluids and 90% fuel. †Includes full fluids and 90% fuel.

XE - TECHNICAL SPECIFICATION

			PETROL	
FUEL ECONOMY			P250	P300
Fuel tank capacity - useable litres			61,7	61,7
Gasoline Particulate Filter (GPF)			■	■
WLTP*				
WLTP Consumption	Low	l/100km (mpg)	11,3-11,9 (25,0-23,7)	11,7-12,5 (24,1-22,6)
	Medium	l/100km (mpg)	7,8-8,5 (36,2-33,2)	8,4-9,1 (33,6-31,0)
	High	l/100km (mpg)	6,6-7,3 (42,8-38,7)	7,2-7,9 (39,2-35,8)
	Extra High	l/100km (mpg)	7,2-8,1 (39,2-34,9)	7,9-8,8 (35,8-32,1)
	Combined	l/100km (mpg)	7,7-8,5 (36,7-33,2)	8,3-9,1 (34,0-31,0)
WLTP CO ₂ Emissions	Low	(g/km)	257-271	268-284
	Medium	(g/km)	177-195	192-208
	High	(g/km)	151-167	165-179
	Extra High	(g/km)	164-186	181-200
	Combined	(g/km)	175-193	190-207

■ Standard.

*The figures provided are as a result of official manufacturer’s tests in accordance with EU legislation. For comparison purposes only. Real-world figures may differ. CO₂ and fuel economy figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted.

XE - TECHNICAL SPECIFICATION

POWERTRAIN	PETROL	
	P250	P300
Transmission	Automatic	Automatic
Driveline	Rear Wheel Drive (RWD)	All Wheel Drive (AWD)
Maximum power (PS / rpm)	250 / 5.500	300 / 5.500
Maximum torque (Nm / rpm)	365 / 1.300-4.500	400 / 1.500-4.500
Capacity (cc)	1.998	1.998
No. of cylinders / Valves per cylinder	4 / 4	4 / 4
Cylinder layout	Inline	Inline
Bore / stroke (mm)	83 / 92,3	83 / 92,3
Compression ratio (:1)	10,5+ / -0,5	9,5+ / -0,5
PERFORMANCE		
Acceleration (secs) 0-100 km/h (0-60 mph)	6,7 (6,4)	5,9 (5,6)
Maximum speed km/h (mph)	242 (150)	250 (155)
BRAKES		
Front type	Single Piston Sliding Caliper, Vented Disc	Single Piston Sliding Caliper, Vented Disc
Front diameter (mm)	17" Wheel - 325mm 18" Wheel - 350mm	350
Rear type	Single Piston Sliding Caliper, Solid Disc	Single Piston Sliding Caliper, Solid Disc
Rear diameter (mm)	325	325
Park Brake	iEPB, motor on caliper	iEPB, motor on caliper

XE - TECHNICAL SPECIFICATION

	PETROL	
WEIGHTS (kg)*	P250	P300
Unladen weight (EU)**	1.672	1.726
Unladen weight (DIN)†	1.597	1.651
Gross Vehicle Weight (GVW)	2.200	2.240
TOWING (kg)		
Unbraked trailer	750	750
Maximum towing	1.800	1.800
Maximum coupling point (nose weight)	75	75
Maximum vehicle and trailer combination	4.000	4.040
ROOF CARRYING (kg)		
Maximum roof load (including cross bars)	75	75

*Weights reflect vehicles to standard specifications. Optional extras increase weight. **Includes a 75kg driver, full fluids and 90% fuel. †Includes full fluids and 90% fuel.

XE - TECHNICAL SPECIFICATION

			PETROL	
FUEL ECONOMY			P250	P300
Fuel tank capacity - useable litres			61,7	61,7
Gasoline Particulate Filter (GPF)			■	■
FUEL ECONOMY*				
Driveline			RWD	AWD
Consumption	Combined	l/100km	7,2	7,6
CO ₂ Emissions	Combined	(g/km)	164	171

■ Standard.

*The figures provided are NEDC calculated from official manufacturer's tests. Figures may vary according to environment and driving style. For comparison purposes only. Real world figures may differ.

XE - DIMENSIONS

Vehicle Height

With roof antenna 1.410mm

Headroom

Maximum front / rear headroom with

Panoramic roof fitted 941 / 940mm

Maximum front / rear headroom with

fixed metal roof fitted 971 / 948mm

Legroom

Maximum front legroom 1.055mm

Maximum rear legroom 889mm

Loadspace Capacity

Height 402mm, Width 1.123mm

Loadspace width between arches 791mm

Maximum loadspace volume behind second row

Dry* 285 litres


Wet** 394 litres

Turning Circle

Kerb-to-kerb 11,58m

Wall-to-wall 11,96m

Turns lock-to-lock 2,58



*Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm).

**Wet: Volume as measured by simulating the loadspace filled with liquid.

Dimensions were measured with vehicle at unladen weight.